



BATHROOM AND BEDDING SPECIFICATIONS GUIDE

EMEA v1.1



THE BEDS


All beds in Hampton rooms must be made up with the linen items detailed in the diagram below.

The Hampton by Hilton bed is a platform base.

A Brand-approved mattress must be installed.

Refer to the following room pages and appendix for more detail.

ROOM TYPE	MATTRESS/BED SIZE
Twin	120cm x 200cm
Queen	150cm x 200cm
King	180cm x 200cm




For more information on the base, and for sofa beds, please refer to the Guestroom FF&E specification on the Architecture and Construction section of [hiltonworldwide.com](https://www.hiltonworldwide.com) and the Hampton by Hilton EMEA Brand Standards.

HOW TO MAKE THE BED

- 1 Ensure the mattress is covered with a mattress protector
- 2 Place the flat sheet smoothly and evenly over the mattress protector.
- 3 Lay out the duvet cover on the bed. At bottom of the bed, separate the bottom layer of the duvet cover and tuck it under the mattress. Fold up the top layer of the duvet cover for the duvet insert.
- 4 Put in the duvet insert from the bottom of the bed. Use the holes at the top of the cover to pull up the duvet insert on both sides of the bed. Smooth the duvet cover and remove any portion of the duvet still tucked under the mattress.

The duvet must NOT be tucked under the mattress, it should hang freely and evenly on both sides and the bottom of the bed.

- 5 All pillows should be feather/down pillows. Synthetic pillows must be available on request. Rooms with one bed must have four pillows (two per person) Rooms with two beds must have two pillows per bed (two per person).
- 6 Sofa beds must be neatly made up with a mattress pad, flat sheet and duvet cover with insert and two pillows.



Twin rooms: two pillows per bed

Queen, King and Super King rooms: four pillows per bed

When to change the linens: Duvet cover, sheets & pillow cases

1

Every third day.
Or if a guest requests.



2

After a Guest checks out.




3


Visible soiling, such as a spilled cup of coffee.



MATTRESS PROTECTORS AND FLAT SHEETS




MATTRESS PROTECTOR	Size (cm)			Fabric	Thread Count	Fabrication	Filling Spec
	Width	Length	Depth				
Twin/Sofa Bed	123	203	27.5	50% cotton 50% polyester top and bottom plain white	T100	Cotton-polyester blend top and bottom. Polyester fill, quilted wave design. 11" stretchable polyester knit fitted skirt with elastic binding	Polyester
Queen	153	203	27.5				
King	183	203	27.5				




FLAT SHEET	Size (cm)		Fabric	Thread Count	Fabrication
	Width	Length			
Twin/Sofa Bed	220	300	60% cotton 40% polyester (or 100% cotton) plain white	T200	3" top hem, 1" bottom hem
Queen	250	300			
King	300	300			

DUVET INSERT & COVER



DUVET INSERT	Size (cm)		Fabric	Thread Count	Fabrication	Filling Spec	Fill Weight
	Width	Length					
Twin/Sofa Bed	200	230	White barrier weave 100% cotton shell	T233	15" (38cm) sewn through box quilt design minimizes fill shift and clumping	Double needle sewn edges with loops at each corner, filled with grey duck down 75% cluster	200gsm
Queen	230	230					
King	260	230					



DUVET COVER	Size (cm)		Fabric	Thread Count	Fabrication
	Width	Length			
Twin/Sofa Bed	210	240	60% cotton 40% polyester (or 100% cotton) 4mm sateen stripe, white	T250	3 sides double stitched with knife edge; bottom opening, one side on opening 6" Flap with 2" hem, the other side no flap with 1" hem; 8" hand holds on left and right sides 1.5" from top
Queen	240	240			
King	270	240			

PILLOWS, PROTECTORS AND PILLOWCASES

Twin rooms: 2x down pillows per bed*

All other rooms: 4x down pillows per bed*



PILLOWS	Size (cm)		Fabric	Thread Count	Fabrication	Filling Spec	Fill Weight
	Width	Length					
Down	51	91.5	Outer: 100% cotton plain; Inner: Microfiber polyester	T233	Pillow in pillow construction, double stitch with color cording	Outer filled with grey duck down 75% cluster, center filled with grey duck feathers 4-6cm	33.5oz (4.5ozGDD + 29ozGDF)
Synthetic*	51	91.5	50% cotton 50% polyester, plain	T180	Double stitch with cording; filled with recycled cluster polyester	100% recycled, cluster polyester	20.5oz



PILLOW PROTECTOR	Size (cm)		Fabric	Thread Count	Fabrication
	Width	Length			
	53	94	60% cotton 40% polyester plain white	T180	Double stitched with cording, nylon zipper closure



PILLOW CASE	Size (cm)		Fabric	Thread Count	Fabrication
	Width	Length			
	55	96	60% cotton 40% polyester (or 100% cotton) plain white	T200+	Envelope closure with 6" flap


* Synthetic pillows must be available on request

TERRY PRODUCTS

The bathroom must contain the following Terry products:

- **Hand Towel**
2, Brand-approved hand towels per guestroom
- **Bath Towel**
2, Brand-approved bath towels per guestroom
- **Face Cloth**
2, Brand-approved face cloths per guestroom
- **Bath Mat**
1, Brand-approved bath mat per guestroom

Please note that for twin rooms with double/full beds, the number of terry products required may need to increase to accommodate up to 4 guests.



	Size (cm)		GSM
	Width	Length	
Hand Towel	50	100	500
Bath Towel	100	150	500
Face Cloth	30	30	500
Bath Mat	50	80	700

BATHROOM AMENITIES

All Hampton by Hilton Hotels throughout EMEA must provide Waterl'eau products displayed in approved bulk dispensers. Waterl'eau products are available for order through your International Hotel Supply representative.

Minimum Required Amenities:

- | | | | |
|---|-------------|---|-------------|
| 1 | SHAMPOO | 4 | HAND SOAP |
| 2 | CONDITIONER | 5 | BODY LOTION |
| 3 | BODY WASH | | |




Shower Dispenser



Sink/Vanity Dispenser




APPENDIX - FABRIC TECHNICAL SPECIFICATIONS



	Mattress Protectors	Pillow Protectors	Pillowcase & Sheets	Down Pillows (Outer Ticking)	Down Pillows (Inner Ticking)	Polyester Pillows	Duvet Cover
Thread Count	T100	T180 60/40 Blend plain	T200 plain	T233	T300	T180	T250 blend stripe
Weight/m2 (+/- 5 %)	90gsm	105gsm	130gsm	130gsm	55gsm	105gsm	145gsm
Material (Blended)	50% cotton 50% polyester	60% cotton 40% polyester	60% cotton 40% polyester	100% cotton	100% polyester	50% cotton 50% polyester	60% cotton 40% polyester
Polyester Heat Setting	180°C	180°C	180°C	N/A	N/A	180°C	180°C
Weave	Plain 1/1	Plain 1/1	Plain	Plain 1/1	Plain 1/1	Plain 1/1	sateen 4/1 stripe
Spin Method Warp	ring spun	ring spun	ring spun	ring spun	Textured Filament	ring spun	ring spun
Spin Method Weft	ring spun	ring spun	ring spun	ring spun	Textured Filament	ring spun	ring spun
Yarn Grade Warp	carded	carded	carded	carded	Texturized	carded	carded
Yarn Grade Weft	carded	carded	carded	carded	Texturized	carded	carded
Yarn Count Warp (Ne)	30	40s	40s	40	50 D	40	40s
Yarn Count Weft (Ne)	30	40s	40s	40	50 D	40	40s
Density Warp (Greige/Inch)	54	110	120	133	158	110	140
Density Weft (Greige/Inch)	42	70	85	100	98	70	105
Weft Insertion	single	single	single	single	single	single	single
Sanforised	no	no	no	no	no	no	no
Mercerized	no	no	no	no	no	no	no
Selvedge Type	raw	raw	raw	raw	raw	raw	raw
Sewing Thread	100% polyester	100% polyester	100% polyester	100% polyester	100% polyester	100% polyester	100% polyester
Bleaching Method	Continuous Peroxide bleach	Continuous Peroxide bleach	Continuous Peroxide bleach	Continuous Peroxide bleach	HTHP Dyeing	Continuous Peroxide bleach	Continuous Peroxide bleach
Dyeing Method	Soft Flow	Soft Flow	Soft Flow	Soft Flow	HTHP Dyeing	Soft Flow	Soft Flow
Tensile Strength Warp	ASTM D-5030; Min 50 Lbs	ASTM D-5030; Min 50 Lbs	ASTM D-5030; Min 50 Lbs	ASTM D-5030; Min 50 Lbs	ASTM D-5030; Min 50 Lbs	ASTM D-5030; Min 50 Lbs	ASTM D-5030; Min 50 Lbs
Tensile Strength Weft	ASTM D-5030; Min 40 Lbs	ASTM D-5030; Min 40 Lbs	ASTM D-5030; Min 40 Lbs	ASTM D-5030; Min 40 Lbs	ASTM D-5030; Min 40 Lbs	ASTM D-5030; Min 40 Lbs	ASTM D-5030; Min 40 Lbs
Looms	Rapier	Rapier	Rapier	Rapier	Jet	Rapier	Jet

APPENDIX - TERRY TECHNICAL SPECIFICATIONS



	Hand Towel	Bath Towel	Face Cloth	Bath Mat
Color	White	White	White	White
Color Reference	CIE Whiteness Index: 150	CIE Whiteness Index: 150	CIE Whiteness Index: 145	CIE Whiteness Index: 150
Pile Height in mm	6.9	6.9	6.9	6.9
Specification of Pile Yarn	RING	RING	RING	RING
Pile Count	12/1	12/1	12/1	20/2
Specification of Warp Yarn	RING	RING	RING	RING
Warp Count	20/2	20/2	20/2	20/2
Specification Weft Yarn	RING	RING	RING	RING
Border Size (In Inches)	3.14/2.75	3.14/2.75	3.14/2.75	3.14/2.75
Border Design	RING	RING	RING	RING
Hem Size in Inches	0.4	0.4	0.4	0.4
Hem Type	Twill	Twill	Plain	Plain
Border Placement	TWO Side	TWO Side	NA	TWO Side
Side Hemming	Chain Stitched	Chain Stitched	Lock Stitched	Chain Stitched
Side Hem SPI	7/8	7/8	7/8	7/8
End Hem Hemming	Lock Stitched	Lock Stitched	Lock Stitched	Lock Stitched
End Hem Spi	7/8	7/8	7/8	7/8
Specification of Hem Thread	100% Polyester	100% Polyester	100% Polyester	100% Polyester
Label Name	HILTON	HILTON	HILTON	HILTON
Blend Content	100% RS Cotton	100% RS Cotton	100% RS Cotton	100% RS Cotton
Label Type	Printed Loop	Printed Loop	Printed Loop	Printed Loop
Label Location	2" from end hem	2" from end hem	2" from end hem	2" from end hem
Hem Type	Four sided hem	Four sided hem	Four sided hem	Four sided hem
Quality	FIRST ONLY	FIRST ONLY	FIRST ONLY	FIRST ONLY
Size Tolerance After Shrinkage	3%	3%	3%	3%